

AHT 
a member of **DAIKIN** group

FIXWELL
www.fixwell.co.nz



COOLBOX

_Promotion cooler. Ready to connect

Plug in, chill & sell – immediately ready for operation & stays fresh longer

COOLBOX is perfect for product presentation at the POS. With its high capacity, simple installation and ideal product accessibility, COOLBOX is particularly well suited to the presentation of snacks and drinks at the POS.



VISUAL MERCHANDISING

COOLBOX perfectly combines product presentation with access to merchandise, thanks to presentation at eye level and the panorama glass side walls. With brilliant LED interior lighting on every shelf, COOLBOX achieves the optimum sales impact.



SEMI-AUTOMATIC DEFROSTING

Semi-automatic defrosting is possible in all temperature ranges. The constant temperature and high-quality plastic containers mean that the shelf life and hygiene of all products are always ensured.



ENVIRONMENT AND CLIMATE

COOLBOX units are completely CFC- and HFC-free and use the ecologically harmless and natural refrigerant propane (R290). This makes them particularly environmentally friendly. R290 has the lowest global warming potential (GWP) rating on the market.



COMPATIBLE WITH AMS

Our Active Monitoring System (AMS) allows us to detect problems before you notice them. As an essential add-on to all AHT products, the AMS makes it much easier for you to manage and monitor the AHT cooling systems in your stores. Our products are also compatible with other systems.

INDIVIDUAL BRANDING

COOLBOX can be individually adapted to the store design. A wide range of colours allows the best possible integration.



TEMPERATURE RANGES

Cooling

-1°C to 7°C

USPs

PLUG, CHILL & SELL – READY TO GO

Thanks to its ready-to-connect design and full range of features, COOLBOX can get started straight away. The compact AHT shop format seamlessly unites attractive product presentation with excellent access to merchandise. Sales success is also supported by the bright LED lighting.

MULTIFUNCTIONAL USE

COOLBOX knows no limits. Boost your performance in product presentation with the greatest flexibility in the entire market. Or widen your range with regard to convenience products. Ideal for drinks, fruit & vegetables, snacks, to-go food, etc.

UNIQUE CONDENSATE TECHNOLOGY

In the compact dimensions of COOLBOX, the condensate evaporation system is a technical masterpiece of the AHT engineers. As a result, defrost water evaporates automatically without manual intervention. Connection to an on-site defrost water drain is also possible.





STANDALONE UNIT 124



STANDALONE UNIT 196









IN-LINE UNIT 2 x 124



IN-LINE UNIT 2 x 196

CONFIGURATIONS

Solo		
Row		
Row individual		

Plastic parts in grey
(RAL 7045) or white
(RAL 7016)

Scanner strip for
displaying prices

Side cover:
_ Closed
_ Panorama glass
_ Mirrored inside



Compatible with
the Active
Monitoring System

Housing available in
any RAL colour or with
advertising foils

Bumper strip
available in all
RAL colours


Water protection
strip available in
various RAL colours

CAN ModBUS interface
for connection to existing
monitoring systems


ACCESSORIES

- _ Merchandise stopper
- _ Water protection strip in all RAL colours
- _ Air duct trim set in all RAL colours (fitting only possible with air duct)
- _ Price display/price strip
- _ Unit body in all RAL colours
- _ Connection kit for Duo installation version

COOLBOX 196



124



DIMENSIONS

COOLBOX		124	196
Length, exterior / interior	mm	1,240 / 1,180	1,964 / 1,900
Depth, exterior / interior	mm	885 / 540	885 / 540
Height, exterior / interior	mm	2,150 / 1,435	2,150 / 1,435
Shelf depth	mm	4 x 450	8 x 450

AHT
a member of **DAIKIN** group

AHT Cooling Systems GmbH

Werksgasse 57
8786 Rottenmann | Austria
p. +43 3614 24 51-0
sales@aht.at
www.aht.at

FIXWELL
www.fixwell.co.nz

Fixwell Display System NZ Ltd

Level 17 SPACES, 15 Customs Street
West, PWC Tower, Commercial Bay,
Auckland, 1010, New Zealand

tel.: +64 9 970 1019
e-mail: sales@fixwell.co.nz