

AHT 
a member of **DAIKIN** group

FIXWELL
www.fixwell.co.nz



RIO S & RIO H

_Freezer cabinet. Plug-in installation

Versatile and seductive

RIO models are the perfect choice for selling ice cream in various places. The broad variety of sizes ensure perfect integration in any store layout and boost your sales.



VISUAL MERCHANDISE

RIO is displaying the goods perfectly to customers due to its low height it can easily be looked into. The smooth-running, two-part, straight sliding glass lid with the proven, patented, sprayed one-piece AHT cover frame ensures easy goods removal. The brilliant LED interior lighting presents your goods in best conditions.



HIGH ENERGY SAVINGS

RIO scores with low energy consumption through reinforced insulation (72 mm). In addition the new optimized fan allows 0.5 kWh energy saving per day.



ENVIRONMENT AND CLIMATE

RIO is completely free of CFCs and HFCs and runs with the ecologically harmless and natural refrigerant propane (R290). R290 has one of the lowest GWPs (global warming potential) on the market.



LOW COSTS

The proven AHT quality guarantees you a trouble-free longevity. RIO is suitable for climate class 3 to 7 by different design variants. RIO is delivered in a robust packaging accessible for forklifts.



SMART INSTALLATION

Thanks to the plug-in installation, RIO is immediately ready for use. With RIO you get a team player who also works with other AHT cooling and freezing units.



MULTIFUNCTIONAL PURPOSE

With the same height and depth RIO is available in different lengths. The inner container of white pre-painted and galvanized sheet metal harmonizes with the one-piece plastic frame perfectly. RIO specially scores with the adjustable thermostat and the outer skin condenser. Pollution and maintenance is therefore a thing of the past.

INDIVIDUELLES BRANDING

AHT cooling units are constructed individually: Using our template, you create the design, then we apply it directly during production.



TEMPERATURE RANGES

Freezing	-14 °C to -23 °C
Scooping ice cream	-6 °C to -23 °C

USPs

OPTIMIZED GOODS REMOVEL

Due to the reduced height ice cream is easily accessible.
The glass sliding lids are opening and closing smoothly.

INDEPENDENT POSITIONING

RIO can be served from both sides and is the ideal solution
for every area because of different size variants.



RIO S 68



RIO S 100



RIO S 125



RIO S 150



RIO S 175



RIO H 68



RIO H 100



RIO H 125



RIO H 150




RIO H 175

ACCESSORIES

- _ Temperature display: outer (front wall) and/or indoor thermometer
- _ Condensate drain
- _ robust castors (can be braked)
- _ Interior light / LED light for RIO S
- _ Light canopy
- _ Energy-saving fan
- _ Insulation cover for horizontal RIO chests
- _ baskets and dividers
- _ Lock for sliding covers
- _ Additional mounting options in the form of rivet nuts
- _ Frame heating for RIO S

RIO S

68 / 100 / 125 / 150 / 175




 **DIMENSIONS**

RIO S		68	100	125	150	175
length, exterior / interior	mm	680 / 530	1,000 / 850	1,250 / 1,100	1,500 / 1,350	1,750 / 1,600
depth, exterior / interior	mm	650 / 500	650 / 500	650 / 500	650 / 500	650 / 500
height outside front / rear	mm	769 / 883	769 / 883	769 / 883	769 / 883	769 / 883
stacking height front / rear	mm	530 / 570	530 / 570	530 / 570	530 / 570	530 / 570

RIO H

68 / 100 / 125 / 150 / 175



DIMENSIONS

RIO H		68	100	125	150	175
length, exterior / interior	mm	680 / 530	1,000 / 850	1,250 / 1,100	1,500 / 1,350	1,750 / 1,600
depth, exterior / interior	mm	650 / 500	650 / 500	650 / 500	650 / 500	650 / 500
height outside front / rear	mm	883 / 883	883 / 883	883 / 883	883 / 883	883 / 883
Stacking height	mm	610	610	610	610	610

Subject to technical changes; errors and omissions excepted. Version: 05/2023



AHT Cooling Systems GmbH
 Werksgasse 57
 8786 Rottenmann | Austria
 p. +43 3614 24 51-0
 sales@aht.at
 www.aht.at



Fixwell Display System NZ Ltd

Level 17 SPACES, 15 Customs Street West,
 PWC Tower, Commercial Bay,
 Auckland, 1010, New Zealand

tel.: +64 9 970 1019
 e-mail: sales@fixwell.co.nz